

Case **00248035**

[Printable View](#)

[« Back to List: Cases](#)

### Case Detail

Case Number 00248035

Previous Case ID  11190476

Case Owner  Michael Lemon

Account Name Certo Brothers - West Seneca, NY

Contact Name  John Maddigan (Maint)

Status  Closed

Category  Electrical

Priority  2

Priority Description  System partially down

### Information

Subject They had to replace some of the parts in a panel on a t-cart, now they can't get

Description They had to replace some of the parts in a panel on a t-cart, now they can't get the t-cart to run

Resolution  Replace VFD

### System Information

Date/Time Opened 10/17/2013 11:40 PM

Date/Time Closed 10/21/2013 5:07 AM

Created By Michael Lemon, 10/17/2013 11:40 PM

Last Modified By Derek Camp, 1/22/2015 9:30 AM

### Comments

## Comments

Public Comment	Name	Date Time
<p>Called John back.            He said the old VFD was destroyed by a power surge.            They replaced it and downloaded from the HIM.            He has verified the parameters are correct.            I connected to CC-14, and the PLC is telling the VFD to go.            The comm card on the VFD is new, and he says he verified the dipsw positions.            6:45am - He said he is going to let them manually move pallets for right now so they can finish shipping, and will then call us back to continue.</p>	Bud Van Suilichem	9/22/2014 9:53 AM
<p>John called me directly 8:00am</p> <p>I connected with CC14 and the car..</p> <p>I monitored the logic and found that the run command was not being sent. I pushed the operation step to get the run command and nothing moved.</p> <p>John checked the communication card on the newly replaced VFD and found it was missing some leds that the other drive has lit.</p> <p>He put the old communication card back into the drive and the car started to move.</p>	Michael Raymond	9/22/2014 9:53 AM

[Back To Top](#)

Always show me  [more](#) records per related list